

FX

FX A

Dimensions/Working Area: 53' Expando with a 64' by 24' Recommended Working Area

Power Requirements: 2x 208 Volt, 3-Phase, 200 Amps or 1x 208 Volt, 3-Phase, 400 Amps

A/B Units: A Unit

FX B

Dimensions/Working Area: 61' x 22' Recommended Working Area

Power Requirements: 1x 208 Volt, 3-Phase, 200 Amps

A/B Units: B Unit

Switcher: GVG K-Frame & Kayak

FX E (HH)

Dimensions/Working Area: 55' x 19' Recommended Working Area

Power Requirements: 1x 208 Volt, 3-Phase, 200 Amps

A/B Units: E Unit

VIDEO PRODUCTION & EFFECTS

Grass Valley HD Kayenne KFrame

196 Inputs/92 Outputs

9 Mix/Effects Busses

Image Store

Chroma Keyers

16 Internal/External DPMs

M/E & Aux RGB Color Correctors

Integrated K2 Solo 2 Full Channel Production Server

4 Channel EDPM

Grass Valley Group HD Kayak Video Production Center (SubSwitch)

72 Inputs/24 Outputs

2 Final Cut Edit Systems (available upon request)

ROUTING

512x1024 Pesa HD Video

7680x7680 Pesa DRS Audio (AES, Analog, Embedded, MADI)

IHSE Draco Tera KVM Router

CAMERAS & SUPPORT

14 Sony HDC 1500 MultiFormat Cameras

12 Sony HDLA Large Lens Adaptors

10 Sony HDFX/HDTX SMPTE Fiber To Triax Converters

4 Sony 3300 Super SlowMotion HD Camera ,Optional*

12 Matthews MT1 Heavy Duty Tripods

12 Vinten Vector 70 Panheads

6 Miller Arrow 55 Heavy Duty Fluid Head With 1741 Tripods

2 Vinten Studio Wheels For Hard Cameras

2 Miller Studio Wheels For Hand Held Tripods

LENSES

12 Canon Digi Super 100x9.5 Lenses W/ Stabilizer, Servo & Manual Zoom

4 Canon 21x7.8 ENG

2 Canon 11x4.7B Wide Angle ENG, Optional*

EVS

2 EVS 6 Channel HD XT3 LSM With HighSpeed XNet Network

4 EVS 6 Channel HD XT3 Super Slow Motion With HighSpeed XNet Network

4 EVS 6 Channel HD XT3 ReplayOnly With HighSpeed XNet Network

1 EVS 6 Channel HD XT3 Spotbox W/ Dual Lance TDC 100 Controllers, Optional*

2 EVS XFile, Optional*

1 EVS IP Director System With 3 Workstations And Database Server, Optional*

1 Sony DVW A500 Digibeta VTR

FX

FX A

Dimensions/Working Area: 53' Expando with a 64' by 24' Recommended Working Area

Power Requirements: 2x 208 Volt, 3-Phase, 200 Amps or 1x 208 Volt, 3-Phase, 400 Amps

A/B Units: A Unit

FX B

Dimensions/Working Area: 61' x 22' Recommended Working Area

Power Requirements: 1x 208 Volt, 3-Phase, 200 Amps

A/B Units: B Unit

Switcher: GVG K-Frame & Kayak

FX E (HH)

Dimensions/Working Area: 55' x 19' Recommended Working Area

Power Requirements: 1x 208 Volt, 3-Phase, 200 Amps

A/B Units: E Unit

1 Panasonic AJ HD 1800A DVCPro VTR

1 – USB Flash Drive Recorder

4 DVD/VHS Recorders

TERMINAL EQUIPMENT

46 Frame Sync Paths Using Evertz & FortelFrame Syncs With Up/Down/Cross Conversion

132 HD Downconversion To SDDSI And Analog

2 DirecTV DSS Receivers

2 Digital/Analog Tuners

GRAPHICS

1 Chyron Mosaic

AUDIO

1 Calrec Bluefin Alpha Surround Sound Console

162 Stereo Channels

78 Surround Sound Channels

156 Mono Channels

96 Dual Layer Faders

576 Inputs/528 Outputs

192 Inserts

128 AES Input Pairs/128 AES Output Pairs

128 MADI Inputs/128 MADI Outputs

2 Digicart E, Remote Control, Keyboard, Zip Drive, SD Card

8 DBX 160a Compressor/Limiters

2 DBX 166 Stereo Compressor/Limiters

1 BurnIT CD Player/Recorder

1 TC Electronics 6000 Upmixer

1 TC Electronics DB Max

12 Sound Devices MP1 Mic Pre

12 Sound Devices MM1 Headphone Amps

1 Otari LWB64 Fiber System

Calrec Sigma Audio Console (SubMix)

Yamaha ML7 Audio Console (SubMix)

SRS and Dolby Surround Processing Optional*

MICROPHONES

8 Sennheiser 416

4 Sennheiser ME66

4 Sennheiser ME67

8 Audix D3

7 Sennheiser MKH70

18 Audio Technica 815ST

8 Sennheiser MD46

FX

FX A

Dimensions/Working Area: 53' Expando with a 64' by 24' Recommended Working Area

Power Requirements: 2x 208 Volt, 3-Phase, 200 Amps or 1x 208 Volt, 3-Phase, 400 Amps

A/B Units: A Unit

FX B

Dimensions/Working Area: 61' x 22' Recommended Working Area

Power Requirements: 1x 208 Volt, 3-Phase, 200 Amps

A/B Units: B Unit

Switcher: GVG K-Frame & Kayak

FX E (HH)

Dimensions/Working Area: 55' x 19' Recommended Working Area

Power Requirements: 1x 208 Volt, 3-Phase, 200 Amps

A/B Units: E Unit

4 Shure VP88
11 Sennheiser E825
7 Audio Technica 825
2 Audio Technica 8022
1 Audio Technica BP4025
8 Sony ECM77B
10 DPA 4007

COMMUNICATIONS

Adam 480 Port Intercom System with MADI interface

12 Powered TwoWire Channels

16 IFB Channels

Camera Iso Channels

72 RVON Ports

36 KP 32 Programmable Master Stations W/Lightweight Headsets (2 With RVON)

20 KP 12 Programmable Master Stations W/Lightweight Headsets

RTS BP 325 Belt Packs

IFB Boxes

SPK300 Single Listen Biscuit Boxes

Single Muff DT108 RTS Headsets

Dual Muff DT109 RTS Headsets

12 Motorola HT750 Portable Radios

2 Motorola Base Radios With Intercom Integration

16 Line Avaya IP Office Phone System With 30 Extensions

6 RTS TIF2000 Telephone Interface

6 Telos 1+1 Telephone Hybrids (QKT)

Outboard Monitors, CRT and LCD Analog Monitors