
Spirit

SPIRIT**Dimensions/Working Area:** 53' Expando with a 64' by 24' Recommended Working Area**Power Requirements:** 2x 208 Volt, 3-Phase, 200 Amps, or 1x 208 Volt, 3-Phase, 400 Amps**A/B Units:** A Unit**Production Manager:** Joe Lowey, (603) 821-2201

jlowey@gamecreekvideo.com

SPIRIT B**Dimensions/Working Area:** 72' x 19' Recommended Working Area**Power Requirements:** 1x 208 Volt, 3-Phase, 200 Amps**A/B Units:** B Unit**Production Manager:** Joe Lowey, (603) 821-2201

jlowey@gamecreekvideo.com

VIDEO PRODUCTION & EFFECTS

Grass Valley HD Kayenne KFrame

125 Inputs/48 Outputs

4.5 Mix/Effects Busses

Image Store

Chroma Keyers

16 Internal DPMs

M/E & Aux RGB Color Correctors

4 Channel EDPM

ROUTING

576 X 1152 Multiformat Video Router With 128x128 Embedded MUX/DEMUX Capability

192 X 192 AES Audio (384 X 384 Mono Channels)

288 X 288 Analog Audio

16 X 16 MADI (1024 X 1024 Mono Channels)

128 X 128 Video I/O With 16 Channels Of Embedded Audio Each (2048 X 2048)

IHSE Draco Tera KVM Router

CAMERAS & SUPPORT

12 Sony HDC 2500 MultiFormat Cameras

8 Sony HDLA Large Lens Adaptors

12 Sony HDFX/HDTX SMPTE Fiber To Triax Converters

8 Matthews MT1 Heavy Duty Tripods

8 Vinten Vector 700 Panheads

4 Miller Arrow 55HD Fluid Head With 1741 Tripods

2 Vinten Studio Wheels For Hard Cameras

LENSES

2 Canon Digi Super 100 X 9.3 Lenses W/ Stabilizer, Servo & Manual Zoom

6 Canon Digi Super 95 X 8.6 Lenses, Servo & Manual Zoom

2 Canon 22x7.8 ENG

4 Canon 14x4.3 Wide Angle ENG, Optional*

EVS

6 EVS 6 Channel HD XT3 LSM With HighSpeed XNet Network

1 EVS 4 Channel HD XT3 Spotbox W/ Lance TDC 100 Controller, Optional*

6 -LSM Connect Tablets

1 EVS IP Director, Optional*

1 EVS CCast Agent, Optional*

1 EVS Database Server, Optional*

1 EVS XT Access, Optional*

1 EVS XFile3, Optional*

1 Sony DVW A500 Digibeta VTR W/DNF Controllers

2 Panasonic DVC Pro AJHD1700

2 DVD/VHS Recorders

Spirit

SPIRIT**Dimensions/Working Area:** 53' Expando with a 64' by 24' Recommended Working Area**Power Requirements:** 2x 208 Volt, 3-Phase, 200 Amps, or 1x 208 Volt, 3-Phase, 400 Amps**A/B Units:** A Unit**Production Manager:** Joe Lowey, (603) 821-2201

jlowey@gamecreekvideo.com

SPIRIT B**Dimensions/Working Area:** 72' x 19' Recommended Working Area**Power Requirements:** 1x 208 Volt, 3-Phase, 200 Amps**A/B Units:** B Unit**Production Manager:** Joe Lowey, (603) 821-2201

jlowey@gamecreekvideo.com

2 Mini Mac/ Black Magic H264 Disk recorders

GRAPHICS

1 Chyron Mosaic

AUDIO

1 Calrec Apollo Bluefin Surround Sound Console

1020 Channels

144 12Layer Faders

128 Mic/Line Input

96 AES Input/96 AES Output

128 Line Out

512 MADI Input/512 MADI Output

2 Digicart E, Remote Control, Keyboard, 1ZIP, 1SD card

1 DBX 1046 Quad Compressor/Limiters

2 DBX 160S Compressor/Limiter

2 Rane AD22S digital delay

2 DTS Mono 2 Stereo

2 Sets DTS Upmix/Downmix 5.1 encoder/decoder

MICROPHONES

8 Sennheiser HMD 26 Headsets

8 Daltech Talkback/Cough Boxes Optional*

12 Sennheiser MD46 Handheld Mics

6 Sennheiser MKH 416 Shotgun Mics

2 Sennheiser MKH 418S Stereo Shotgun Mics

4 -ATBP4071L Long Shotgun Mics

6 Electro Voice RE50 Handheld Mics

12 Sony ECM 77 Lavalier Mics

Big Ears Parabolic Dishes Available Upon Request

COMMUNICATIONS

Adam 368 Port Intercom System with MADI Interface

12 Powered TwoWire Channels

12 IFB Channels

Camera Iso Channels

32 RVON Ports

54 KP 32 Programmable Master Stations W/Lightweight Headsets (5 With RVON)

RTS BP 325 Belt Packs

IFB Boxes

SPK300 Single Listen Biscuit Boxes

Single Muff DT108 RTS Headsets

Dual Muff DT109 RTS Headsets

8 Motorola HT750 Portable Radios

2 Motorola Base Radios With Intercom Integration

16 Line Avaya IP Office Phone System with 30 Extensions

Spirit

SPIRIT**Dimensions/Working Area:** 53' Expando with a 64' by 24' Recommended Working Area**Power Requirements:** 2x 208 Volt, 3-Phase, 200 Amps, or 1x 208 Volt, 3-Phase, 400 Amps**A/B Units:** A Unit**Production Manager:** Joe Lowey, (603) 821-2201

jlowey@gamecreekvideo.com

SPIRIT B**Dimensions/Working Area:** 72' x 19' Recommended Working Area**Power Requirements:** 1x 208 Volt, 3-Phase, 200 Amps**A/B Units:** B Unit**Production Manager:** Joe Lowey, (603) 821-2201jlowey@gamecreekvideo.com

4 RTS TIF2000 Telephone Interface

2 Telos 1+1 Telephone Hybrids (QKT) (4 total channels)

Outboard LCD Analog Monitors